

**To:** Nonresponsive based on revised scope @tetrattech.com]; Nonresponsive based on revised scope @tetrattech.com]  
**Cc:** Haye, Kellee[haye.kellee@epa.gov]; Esposito, Karen[esposito.karen@epa.gov]; Blackwell, Kecia[Blackwell.Kecia@epa.gov]; Wagner, Christine[Wagner.Christine@epa.gov]  
**From:** Cooper, TiffanyD[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C4F592E4FEF74482A2702940963D46B4-COOPER, TIF]  
**Sent:** Thur 12/1/2022 8:56:07 PM (UTC)  
**Subject:** TD: Shiloh Church Road Assessment - 03  
[wagner-shilohchurchrd-ASSESSMENT-03.pdf](#)

Good Afternoon,

Please attached the signed TD for the following site:

Shiloh Church Road Assessment

Best Regards,



Tiffany D. Cooper, she/her/hers

Contract Specialist/Contracting Officer

US EPA Mid-Atlantic Region

Phone 215-814-5328

Email [cooper.tiffanyd@epa.gov](mailto:cooper.tiffanyd@epa.gov)



*"If you think you are leading and no one is following, then you are just taking a walk." ~ John Maxwell*